

## M600/M605 4 1/2" Frame Depth Outswing Terrace Door w/enhanced sill

## M600/M605 SERIES OUTSWING TERRACE DOOR

WITH ENHANCED SILL

#### **FEATURES**

- ♦ Commercial Framing System
  - 4 1/2' main frame
  - Extruded wall thickness of 0.125" for all outside walls
  - Exruded wall thickness of 0.070" for all inside walls
  - 2 1/8" sill
- ♦ Thermally Enhanced Design
  - Heavy-duty corner keys internally sealed to eliminate sag
- ♦ Glazing
  - 1" tempered insulated glass
  - Square, contemporary glazing stops (M600 Series) or Beveled glazing stops (M605 Series)
- ♦ Hardware
  - Adjustable hinges
  - 2-way adjustable hinge (optional 3-way available)
  - 5-point locking system for added security
  - Stylish handle sets add modern touch

#### **BENEFITS**

The capacity to match exterior colors for unique project facades

#### **OPTIONS**

- ♦ Available Configurations
  - Single Panel or Double Panel
  - Inswing or Outswing
  - Matching transoms and sidelites
  - Standard or custom sizing
- ♦ Construction
  - Positioning fin
- ♦ Muntin Choices
  - Internal or simulated divided lites available
- ♦ Hardware
  - 10" bottom rail
  - Surface mounted closure
- ♦ Glazing
  - Up to 1 3/8" thickness of I.G. available
  - Variety of Energy-Efficient glass packages
  - Impact Glazing
  - Sound attenuation glazing packages for STC/OITC
- ♦ Panning & Trim Choices
  - Structural mullions
  - Wide variety of panning, receptor and trim available

#### PERFORMANCE

♦ Structural & Thermal (test reports or thermal simulations available upon request)

Model	M600/M605 Outswing Terrace Door	
	Single Panel	Dual Panel
Door test size	48" x 96"	
NAFS Rating	AW-PG70-ATD	
Structural Load P.S.F.	105.26	
Air Infiltration	<0.30	
Water (No Penetration) P.S.F.	12.11	
U-Value (ranges based on multiple Low-E/Argon combinations)	0.39-0.45	
SHGC (ranges based on multiple Low-E/Argon combinations)	0.12-0.43	

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

10/2023 - V14









## M600 4 1/2" Frame Depth Outswing Terrace Door w/enhanced sill and square glazing stops

## M600 SERIES OUTSWING TERRACE DOOR




© 2018 Quaker Window Products Co., INC. All rights reserved.


Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.











SCALE 1:4

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.










## M600 4 1/2" Frame Depth Outswing Terrace Door w/enhanced sill and square glazing stops


# M600 SERIES OUTSWING TERRACE DOOR

This document contains confidential and proprietary information intended for the private use of Quaker.

© 2018 Quaker Window Products Co., INC. All rights reserved. Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.



SCALE 1:4





DOOR WIDTH——
ELEVATION SCALE 3/8" = 1'-0"








## M600 4 1/2" Frame Depth Outswing Terrace Door w/enhanced sill and square glazing stops


## M600 SERIES OUTSWING TERRACE DOOR W/TRANSOM

This document contains confidential and proprietary information intended for the private use of Quaker.

© 2018 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.





Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.










### M605 4 1/2" Frame Depth Outswing Terrace Door w/enhanced sill and beveled glazing stops


## M605 SERIES OUTSWING TERRACE DOOR

This document contains confidential and proprietary information intended for the private use of Quaker.


© 2018 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.









SCALE 1:4

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.





