


F.F. RECEPTOR & CLIP


M16694 - RECEPTOR M18065 - CLIP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17538 INSTALL TYPE: PREASSEMBLED



RECEPTOR & CLIP M17376 - RECEPTOR M18140 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17379 MUST BE USED WITH HEAD RECEPTOR: M22284 INSTALL TYPE: FIELD CUT & NOTCH




RECEPTOR & CLIP

M17541 - RECEPTOR M18065 - CLIP M23914-ANCHOR STRAP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17539 OR M17540 INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD

SCALE I:2



RECEPTOR & CLIP

M17377 - RECEPTOR M18140 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.


MUST BE USED WITH SUBSILL: M17379 MUST BE USED WITH HEAD RECEPTOR: M22285 INSTALL TYPE: FIELD CUT & NOTCH

and certified te fenestration

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

1/2023 - V8






RECEPTOR & CLIP W/ ANCHOR STRAP

M17541 - RECEPTOR M18065 - CLIP M23914-ANCHOR STRAP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17539 OR M17540 INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD



RECEPTOR & CLIP

M17541 - RECEPTOR M18065 - CLIP M23913-ANCHOR STRAP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL:

M17539 OR M17540 INSTALL TYPE:


PREASSEMBLED OR SQUARE CUT IN FIELD

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

1/2023 - V8








RECEPTOR & CLIP

M17542 - RECEPTOR M17544 - CLIP M23913- ANCHOR STRAP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL:

M17539, M17540 OR M18097 INSTALL TYPE: EXTERIOR INSTALLATION ONLY SQUARE CUT IN FIELD




RECEPTOR & CLIP

M18044 - RECEPTOR M58493 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17539, M17540 OR M18097 INSTALL TYPE:


SQUARE CUT IN FIELD ONLY



RECEPTOR & CLIP

M17541 - RECEPTOR M18065 - CLIP M23914-ANCHOR STRAP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17539 OR M17540 INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD



RECEPTOR & CLIP

M18044 - RECEPTOR M18045 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL:

M17539, M17540 OR M18097 INSTALL TYPE: SQUARE CUT IN FIELD ONLY

SCALE I:2





Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

1/2023 - V8

www.QuakerCommercialWindows.com







RECEPTOR & CLIP

M18871 - RECEPTOR M18140 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.


MUST BE USED WITH SUBSILL: M17379, M21079 OR M22287 INSTALL TYPE:

FIELD CUT & NOTCH

ANCHOR STRAP FOR RECEPTOR

M18139 - ANCHOR STRAP

CAN BE USED WITH RECEPTOR M18871



RECEPTOR & CLIP

M22284 - RECEPTOR M17378 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17379 MUST BE USED WITH JAMB RECEPTOR:

> M17376 INSTALL TYPE: FIELD CUT & NOTCH


Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.








ALUMINUM 3¹/₄" FRAME RECEPTORS



M22285 - RECEPTOR M17378 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17379 MUST BE USED WITH JAMB RECEPTOR: M17377 INSTALL TYPE: FIELD CUT & NOTCH



RECEPTOR W/ TRIM & CLIP

M22250 - RECEPTOR M22248 - TRIM M21046 - CLIP BPN-4189 - RECEPTOR W.S. BPN-9159 - CLIP W.S.

MUST BE USED WITH SUBSILL:

M22249 INSTALL TYPE: SQUARE CUT IN FIELD

SCALE I:2




Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

1/2023 - V8

www.QuakerCommercialWindows.com






RECEPTOR & CLIP

M24023 - RECEPTOR M24024 - CLIP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17539, M17540, M18097 INSTALL TYPE: SQUARE CUT IN FIELD




RECEPTOR & CLIP

M24068 - RECEPTOR M24069 - CLIP BPN-9159 - RECEPTOR W.S. 51518KN - CLIP W.S.

MUST BE USED WITH SUBSILL: M24070 INSTALL TYPE:

PREASSEMBLED




F.F. RECEPTOR & CLIP

M16694 - RECEPTOR M18065 - CLIP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL:

M17538 INSTALL TYPE: PREASSEMBLED



RECEPTOR & CLIP

M21603 - RECEPTOR M21056 - CLIP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S.

MUST BE USED WITH SUBSILL: M17538 INSTALL TYPE: PREASSEMBLED


SCALE I:2




by some of the foremost organizations in the fenestration industry.

Our products are tested to the standards of and certified





MUST BE USED WITH SUBSILL: M23133 **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD



RECEPTOR & CLIP

M24785 - RECEPTOR M18065 - CLIP BPN-9159 - RECEPTOR W.S. BPN-4189 - CLIP W.S. MH8-18X1 LP - FASTENER (QTY. 16)

MUST BE USED WITH SUBSILL: M24786 SUBSILL **INSTALL TYPE:** PREASSEMBLED

SCALE I:2



Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration


1/2023 - V8

industry.

www.QuakerCommercialWindows.com

Freeburg, MO






F.F. SUBSILL (10LB WATER) M16693 - SUBSILL

BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET

MUST BE USED WITH RECEPTOR:


M16694 INSTALL TYPE: PREASSEMBLED



F.F. SUBSILL (10LB WATER) M17538 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-10LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

> MUST BE USED WITH RECEPTOR: M16694

INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD



SUBSILL (10LB WATER)

M17539 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-10LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR:

M17541 OR (M17542 EXTERIOR INSTALL ONLY) **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD

ANCHOR PLATE FOR STANDARD SUBSILL

M16718 - ANCHOR PLATE

CAN ONLY BE USED WITH STANDARD SUBSILLS MUST BE USED AT ALL T-MULL LOCATIONS


Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.








ALUMINUM 31/4" FRAM SUBSILL



SUBSILL W/ U CHANNEL (10LB WATER)

M18097 - SUBSILL U CHANNEL - M19071 BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-10LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR: M17541 OR (M17542 EXTERIOR INSTALL ONLY) **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD



SUBSILL W/ U CHANNRL(12LB WATER)

M17540 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-12LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)


MUST BE USED WITH RECEPTOR: M17541 OR (M17542 EXTERIOR INSTALL ONLY) **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD SCALE I:2

പ 3/8" 7/8" \sim ഹ 3 |3/|6"

SUBSILL (10LB WATER)

M18097 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-10LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR: M17541 OR (M17542 EXTERIOR INSTALL ONLY) **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD




SUBSILL (12LB WATER)

M17540 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-12LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR: M17541 OR (M17542 EXTERIOR INSTALL ONLY) **INSTALL TYPE:** PREASSEMBLED OR SQUARE CUT IN FIELD






www.QuakerCommercialWindows.com

R






SUBSILL (12LB WATER)

M24952 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-12LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR:

M17541 OR (M17542 EXTERIOR INSTALL ONLY) INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD



SUBSILL (12LB WATER)

M24952 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET ADDITIONAL PARTS FOR SQUARE CUT INSTALL: QWP-12LBENDDAM - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8)

MUST BE USED WITH RECEPTOR:

M17541 OR (M17542 EXTERIOR INSTALL ONLY) INSTALL TYPE: PREASSEMBLED OR SQUARE CUT IN FIELD

SCALE I:2

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.



www.QuakerCommercialWindows.com

Freeburg, MO

ALUMINUM 31/4" FRAM **SUBSILL**




Ē

1/2" 0


ß

O.



SUBSILL W/ U CHANNEL (10LB WATEI

U CHANNEL - M19071 BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-M21047 - END DAM (QTY. 2) BRBTT46 - POP RIVET (OTY. 10) 1211 - WEEP COVERS




SCALE I:2

VDMA **SFGIA** MEMBER

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

SQUARE CUT IN FIELD






SUBSILL (10LB WATER)

M21079 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-M21047 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR:

M18871 INSTALL TYPE: SQUARE CUT IN FIELD



SUBSILL (10LB WATER)

M21079 - SUBSILL U CHANNEL - M19071 BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-M21047 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR:

M18871 INSTALL TYPE: SQUARE CUT IN FIELD

SCALE I:2

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.




www.QuakerCommercialWindows.com

Freeburg, MO








SUBSILL (12LB WATER)

M22287 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-083117 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR: M17376, M17377 OR M18871

INSTALL TYPE: SQUARE CUT IN FIELD



SUBSILL (12LB WATER) M22287 - SUBSILL U CHANNEL - M19071 BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-083117 - END DAM (QTY. 2) BRBTT46 - POP RIVET (OTY. 10)

BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR:


M17376, M17377 OR M18871 INSTALL TYPE: SQUARE CUT IN FIELD

SCALE I:2



Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.






SUBSILL (12LB WATER)

M17379 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-083117 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR:

M17376, M17377 OR M18871 INSTALL TYPE: SQUARE CUT IN FIELD




SUBSILL (12LB WATER)

M17379 - SUBSILL U CHANNEL - M19071 BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET QWP-083117 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 10) 1211 - WEEP COVERS

MUST BE USED WITH RECEPTOR:

M17376, M17377 OR M18871 INSTALL TYPE: SQUARE CUT IN FIELD



SUBSILL

M24070 - SUBSILL BPN-9159 - OUTSIDE W.S. 51518KN - INSIDE W.S.



M24068 INSTALL TYPE: PREASSEMBLED

WDMA

MEMBER


Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.





Freeburg, MO






MEMBER

by some of the foremost organizations in the fenestration

industry.






SUBSILL W/ TRIM (10LB WATER)

M24786 - SUBŚILL BPN-9159 - W.S. 4874-02-00-19-WEDGE GASKET MH8-18X1 LP-FASTENER (QTY. 16) U CHANNEL - M19071

MUST BE USED WITH RECEPTOR:

M24785 RECEPTOR INSTALL TYPE: PREASSEMBLED



SUBSILL W/ TRIM (10LB WATER)

M24786 - SUBŠILL BPN-9159 - W.S. 4874-02-00-19-WEDGE GASKET MH8-18X1 LP-FASTENER (QTY. 16)

MUST BE USED WITH RECEPTOR:


M24785 RECEPTOR INSTALL TYPE: PREASSEMBLED

SCALE I:2

2" SUBSILL

M16318 - SUBSILL M6270 - C-MULL (QTY. 2) 72406 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8) 970-300 - WEEP COVER

FACTORY APPLIED INSTALL ONLY




WDMA

MEMBER



FGIA





RECEPTOR & CLIP MAX17296 - RECEPTOR MAX2274 - CLIP PN-2930 - RECEPTOR W.S. PN-2930 - CLIP W.S.

MUST BE USED WITH SUBSILL: M15877 INSTALL TYPE: SQUARE CUT IN FIELD


SCALE I:2

Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.

Everetation & Clazing








SUBSILL

M19934 - SUBSILL BPN-9159 - W.S. 4874-02-00-19 - WEDGE GASKET 19934 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 8) 1211 - WEEP COVERS


MUST BE USED WITH RECEPTOR M18141



SUBSILL

M15877 - SUBSILL QWP-15877 - END DAM (QTY. 2) BRBTT46 - POP RIVET (QTY. 12)

MUST BE USED WITH RECEPTOR MAX17296



2 3/8" SUBSILL M22015 - SUBSILL 970-300 - WEEP COVER

SCALE I:2



Our products are tested to the standards of and certified by some of the foremost organizations in the fenestration industry.