

# E600 ALUMINUM SERIES

Project-Out | Project In | **Fixed** Casement



**Product Material Aluminum** 



Frame Depth

Rating Casement: Project-Out/In: Fixed:

AW100 AW100 AW100



Design Pressure Casement: 70 Project-Out: 70 Project In: 70 Fixed: 80	U-Value* Casement: .2639 Project-Out: .2637 Project In: .2637 Fixed: .1731
Air Infiltration  Casement: <.10 Project-Out: <.10 Project In: <.10 Fixed: <.10	SHGC* Casement: .1041 Project-Out: .1041 Project In: .1041 Fixed: .1355
Water Resistance Casement: 12 Project-Out: 15 Project In: 15 Fixed: 15	* CR* Casement: 43 - 61 Project-Out: 44 - 61 Project In: 45 - 58 Fixed: 44 - 63
OITC× ))) Casement: 29 - 32 Other models: Contact Quaker	STC <sup>×</sup> ))) Casement: 34 - 37  Other models: Contact  Quaker
* Decree has a low southing a low 5/America 1.C. combinations	

## **FEATURES:**

- ► Architectural grade aluminum frame
- Thermally-broken frame and sash with pourand-debridge technology
- ► 3 <sup>9</sup>/<sub>16</sub>" narrow sitelines
- ▶ 1" insulating glass
- ► Standard High-Performance 2604 Powder Paint Finish (an FGIA Specification)
- ► Optional Upgrade to 2605 Powder Paint Finish (an FGIA Specification)
- ► Casement, Project-Out and Project-In operating models
- ► Roto or Cam Handle hardware
- ▶ 30+ "Quick-Pick" colors, with unlimited custom colors available.
- ► Impact rated Fixed model (E700 Series)

\*-Ranges based on multiple Low-E/Argon I.G. combinations


<sup>x</sup>-Ranges based on multiple I.G. combinations



# E600


#### Casement Roto (AW70)

Test size = 36" x 60"




#### Casement Cam Handle (AW70)

Test size = 36" x 60"




#### Casement Project In (AW70)

Test size = 36" x 60"




#### Project-Out Roto (AW100)

Test size = 60" x 36"




### Project-Out Cam Handle (AW100)

Test size = 60" x 36"



#### Fixed (AW100)

Test size = 72" x 120"



All ratings listed are NAFS certified.



QuakerCommercialWindows.com 1-800-347-0438 Commercial@quakerwindows.com